

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT AN ARIZONA COMPLIANCE CERTIFICATE.

PRODUCED: NOV 16, 2023

SAMPLE: 10:1, 10 MG D9 THC, TROPICAL BLAST GUMMIES TBD10N11323TH (EDIBLE SOLID) // **CLIENT:** TROJAN HORSE // **BATCH:** PASS



BATCH NO.: TBD10N11323TH
MATRIX: EDIBLE SOLID
CATEGORY: EDIBLE
SAMPLE ID: TLT-231107-001
COLLECTED ON: NOV 07, 2023
RECEIVED ON: NOV 07, 2023
SAMPLE SIZE: 40 G
RECEIVED BY: ANDREW RABE
PACKAGE SIZE: 40 G

CANNABINOID OVERVIEW	
TOTAL THC:	0.179 %
TOTAL CBD:	1.538 %
TOTAL CANNABINOIDS:	1.717 %

BATCH RESULT: PASS

POTENCY	PASS
METALS	PASS
MICROBIAL	PASS
MYCOTOXINS	PASS
PESTICIDES	PASS
SOLVENTS	PASS

SOP 50: CANNABINOID PROFILE BY HPLC-MS // NOV 14, 2023

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (µg/ml)	PASS/FAIL
CBD	1.538 %	15.38 mg/g		0.010/0.030	
CBDA		ND	ND	0.010/0.030	
CBG		ND	ND	0.010/0.030	
CBN		ND	ND	0.010/0.030	
Δ ⁸ -THC		ND	ND		
Δ ⁹ -THC	0.179 %	1.79 mg/g		0.010/0.030	
THCA		ND	ND	0.010/0.030	

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (µg/ml)	PASS/FAIL
TOTAL THC**		0.179 %	1.79 mg/g		
TOTAL CBD**		1.538 %	15.38 mg/g		
CBD/PKG		615.200 mg			
Δ⁹-THC/PKG		71.600 mg			
TOTAL THC/PKG**	100 mg	71.600 mg			PASS
TOTAL CBD/PKG**		615.200 mg			

** TOTAL CBD = (CBDA X 0.877) + CBD
 ** TOTAL THC = (THCA X 0.877) + THC

SOP 50: EXPANDED CANNABINOID PROFILE BY HPLC-MS // NOV 14, 2023

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ	PASS/FAIL
CBC		ND	ND		

** TOTAL CBD = (CBDA X 0.877) + CBD
 ** TOTAL THC = (THCA X 0.877) + THC



RESULTS CERTIFIED BY: WILLIAM ENGLISH
 LAB DIRECTOR, TITAN LABORATORIES
 NOV 16, 2023

W.A. English



The results on this Certificate of Analysis apply to the product tested as received.

https://lims.tagleaf.com/coa_/U1Qz8dGjzA

SOP 60: PESTICIDES BY LC-MS/MS // NOV 15, 2023

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ	PASS/FAIL
ABAMECTIN	0.5 µg/g	ND		PASS	HEXYTHIAZOX	1 µg/g	ND		PASS
ACEPHATE	0.4 µg/g	ND		PASS	IMAZALIL	0.2 µg/g	ND		PASS
ACEQUINOCYL	2 µg/g	ND		PASS	IMIDACLOPRID	0.4 µg/g	ND		PASS
ACETAMIPRID	0.2 µg/g	ND		PASS	KRESOXIM-METHYL	0.4 µg/g	ND		PASS
ALDICARB	0.4 µg/g	ND		PASS	MALATHION	0.2 µg/g	ND		PASS
AZOXYSTROBIN	0.2 µg/g	ND		PASS	METALAXYL	0.2 µg/g	ND		PASS
BIFENAZATE	0.2 µg/g	ND		PASS	METHIOCARB	0.2 µg/g	ND		PASS
BIFENTHRIN	0.2 µg/g	ND		PASS	METHOMYL	0.4 µg/g	ND		PASS
BOSCALID	0.4 µg/g	ND		PASS	MYCLOBUTANIL	0.2 µg/g	ND		PASS
CARBARYL	0.2 µg/g	ND		PASS	NALED	0.5 µg/g	ND		PASS
CARBOFURAN	0.2 µg/g	ND		PASS	OXAMYL	1 µg/g	ND		PASS
CHLORANTRANIL-IPROLE	0.2 µg/g	ND		PASS	PACLOBUTRAZOL	0.4 µg/g	ND		PASS
CHLORFENAPYR	1 µg/g	ND		PASS	PERMETHRIN	0.2 µg/g	ND		PASS
CHLORPYRIFOS	0.2 µg/g	ND		PASS	PHOSMET	0.2 µg/g	ND		PASS
CLOFENTEZINE	0.2 µg/g	ND		PASS	PIPERONYLBUTOXIDE	2 µg/g	ND		PASS
CYFLUTHRIN	1 µg/g	ND		PASS	PRALLETHRIN	0.2 µg/g	ND		PASS
CYPERMETHRIN	1 µg/g	ND		PASS	PROPICONAZOLE	0.4 µg/g	ND		PASS
DAMINOZIDE	1 µg/g	ND		PASS	PROPOXUR	0.2 µg/g	ND		PASS
DIAZINON	0.2 µg/g	ND		PASS	PYRETHRINS	1 µg/g	ND		PASS
DICHLORVOS	0.1 µg/g	ND		PASS	PYRIDABEN	0.2 µg/g	ND		PASS
DIMETHOATE	0.2 µg/g	ND		PASS	SPINOSAD	0.2 µg/g	ND		PASS
ETHOPROPHOS	0.2 µg/g	ND		PASS	SPIROMESIFEN	0.2 µg/g	ND		PASS
ETOFENPROX	0.4 µg/g	ND		PASS	SPIROTETRAMAT	0.2 µg/g	ND		PASS
ETOXAZOLE	0.2 µg/g	ND		PASS	SPIROXAMINE	0.4 µg/g	ND		PASS
FENOXYCARB	0.2 µg/g	ND		PASS	TEBUCONAZOLE	0.4 µg/g	ND		PASS
FENPYROXIMATE	0.4 µg/g	ND		PASS	THIACLOPRID	0.2 µg/g	ND		PASS
FIPRONIL	0.4 µg/g	ND		PASS	THIAMETHOXAM	0.2 µg/g	ND		PASS
FLONICAMID	1 µg/g	ND		PASS	TRIFLOXYSTROBIN	0.2 µg/g	ND		PASS
FLUDIOXONIL	0.4 µg/g	ND		PASS					



The results on this Certificate of Analysis apply to the product tested as received.

https://lims.tagleaf.com/coa_/U1Qz8dGjzA

SOP 130: E. COLI BY 3M PETRIFILM // NOV 10, 2023

ANALYTE	LIMIT	AMT (CFU/g)	PASS/FAIL
ESCHERICHIA COLI	10 CFU/g	<10	PASS

SALMONELLA BY QPCR // NOV 10, 2023

ANALYTE	LIMIT	AMT (CFU/g)	PASS/FAIL
SALMONELLA SPP.	Any amt in 1 gram	ND	PASS

TOTAL YEAST AND MOLD BY 3M // NOV 13, 2023

ANALYTE	LIMIT	AMT (CFU/g)	PASS/FAIL
YEAST & MOLD		ND	

SOP 60: MYCOTOXINS BY LC-MS/MS // NOV 15, 2023

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ	PASS/FAIL
AFLATOXIN B1		ND		
AFLATOXIN B2		ND		
AFLATOXIN G1		ND		

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ	PASS/FAIL
AFLATOXIN G2		ND		
AFLATOXINS	20 µg/kg	ND		PASS
OCHRATOXIN A	20 µg/kg	ND		PASS

SOP 70: HEAVY METALS BY ICP-MS // NOV 14, 2023

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ	PASS/FAIL
ARSENIC	0.4 µg/g	ND		PASS
CADMIUM	0.4 µg/g	0.001		PASS

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ	PASS/FAIL
LEAD	1 µg/g	0.020		PASS
MERCURY	1.2 µg/g	0.005		PASS

SOP 80: RESIDUAL SOLVENTS BY GC-MS // NOV 12, 2023

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ	PASS/FAIL
2,2-DIMETHYLBUTANE		ND		
2,3-DIMETHYLBUTANE		ND		
2-METHYLPENTANE		ND		
3-METHYLPENTANE		ND		
ACETONE	1000 µg/g	ND		PASS
ACETONITRILE	410 µg/g	ND		PASS
BENZENE	2 µg/g	ND		PASS
BUTANE		ND		
BUTANES	5000 µg/g	ND		PASS
CHLOROFORM	60 µg/g	ND		PASS
DICHLOROMETHANE	600 µg/g	ND		PASS
ETHANOL	5000 µg/g	ND		PASS
ETHYL ACETATE	5000 µg/g	ND		PASS
ETHYLBENZENE		ND		
ETHYL ETHER	5000 µg/g	ND		PASS
HEPTANE	5000 µg/g	ND		PASS

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ	PASS/FAIL
HEXANE		ND		
HEXANES	290 µg/g	ND		PASS
ISOBUTANE		ND		
ISOPENTANE		ND		
ISOPROPYL ACETATE	5000 µg/g	ND		PASS
ISOPROPYL ALCOHOL	5000 µg/g	ND		PASS
METHANOL	3000 µg/g	ND		PASS
NEOPENTANE		ND		
PENTANE		ND		
PENTANES	5000 µg/g	ND		PASS
PROPANE		ND		
TOLUENE	890 µg/g	ND		PASS
O-XYLENE		ND		
P- AND M-XYLENE		ND		
TOTAL XYLENES	2170 µg/g	ND		PASS

* FOR QUALITY ASSURANCE PURPOSES. NOT AN ARIZONA COMPLIANCE CERTIFICATE.



The results on this Certificate of Analysis apply to the product tested as received.

https://lims.tagleaf.com/coa_/U1Qz8dGjzA