



Report Number: 24-002108/D002.R000

Report Date: 03/04/2024 ORELAP#: OR100028

Purchase Order:

Received: 02/26/24 12:35

Customer: Haus of Jayne Product identity: Flowerside Salve

Client/Metrc ID:

Laboratory ID: 24-002108-0001

Summary

Potency:

Analyte per 5g	Result	Limits	Units	Status	CBD-Total per Serving Size 134 mg/5g		
CBC per 5g	4.10		mg/5g				
CBD per 5g	134		mg/5g				
CBDV per 5g	0.790		mg/5g		THC-Total per Serving Size 6.05 mg/5g		
CBE per 5g	2.13		mg/5g		(Reported in milligrams per serving)		
CBG per 5g	2.97		mg/5g		(Reported in minigrams per serving)		
CBN per 5g	1.70		mg/5g				
CBT per 5g	1.88		mg/5g				
$\Delta 8$ -THC per 5g	11.1		mg/5g				
Δ9-THC per 5g	6.05		mg/5g				





Report Number: 24-002108/D002.R000

Report Date: 03/04/2024 **ORELAP#:** OR100028

Purchase Order:

Received: 02/26/24 12:35

Customer: Haus of Jayne

766 Old Fitzhugh Rd. Austin Texas 78737

United States of America (USA)

Product identity: Flowerside Salve

Client/Metrc ID:

Sample Date:

Laboratory ID: 24-002108-0001

Evidence of Cooling: No
Temp: 14.9 °C
Relinquished by: client
Serving Size #1: 5 g

Sample Results

Potency per 5g	Method: J AOAC 2015 V9	8-6 (mod)	Units mg/se Ba	tch: 2401593	Analyze: 2/28/24 11:29:00 PM
Analyte	Result	Limits	Units	LOQ	Notes
CBC per 5g	4.10		mg/5g	0.156	
CBC-A per 5g	< LOQ		mg/5g	0.156	
CBC-Total per 5g	4.10		mg/5g	0.294	
CBD per 5g	134		mg/5g	1.56	
CBD-A per 5g [⊥]	< LOQ		mg/5g	0.156	
CBD-Total per 5g [⊥]	134		mg/5g	1.70	
CBDV per 5g	0.790		mg/5g	0.156	
CBDV-A per 5g	< LOQ		mg/5g	0.156	
CBDV-Total per 5g	0.790		mg/5g	0.292	
CBE per 5g	2.13		mg/5g	0.156	
CBG per 5g	2.97		mg/5g	0.156	
CBG-A per 5g	< LOQ		mg/5g	0.156	
CBG-Total per 5g	2.97		mg/5g	0.292	
CBL per 5g	< LOQ		mg/5g	0.156	
CBL-A per 5g	< LOQ		mg/5g	0.156	
CBL-Total per 5g	< LOQ		mg/5g	0.294	
CBN per 5g	1.70		mg/5g	0.156	
CBT per 5g	1.88		mg/5g	0.156	
∆8-THCV per 5g	< LOQ		mg/5g	0.156	
$\Delta 10$ -THC-9R per 5g	< LOQ		mg/5g	0.156	
$\Delta 10$ -THC-9S per 5g	< LOQ		mg/5g	0.156	
$\Delta 10$ -THC-Total per 5g	< LOQ		mg/5g	0.313	
$\Delta 8$ -THC per 5g $^{\perp}$	11.1		mg/5g	0.156	
$\Delta 9 ext{-THC per 5g}^{\perp}$	6.05		mg/5g	0.156	
delta-9-THCP per 5g	< LOQ		mg/5g	0.156	
exo-THC per 5g	< LOQ		mg/5g	0.156	
THC-A per 5g [⊥]	< LOQ		mg/5g	0.156	
THC-Total per 5g	6.05		mg/5g	0.294	
THCV per 5g	< LOQ		mg/5g	0.156	
THCV-A per 5g	< LOQ		mg/5g	0.156	
		www.colum	bialaboratories.com		Page 2 of 8

www.columbialaboratories.com

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





24-002108/D002.R000 **Report Number:**

Report Date: 03/04/2024 ORELAP#: OR100028

Purchase Order:

Received: 02/26/24 12:35

Potency per 5g	Method: J AOAC 2015 V	98-6 (mod)	Units mg/se Ba	tch: 2401593	Analyze: 2/28/24 11:29:00 PM
Analyte	Result	Limits	Units	LOQ	Notes
THCV-Total per 5g	< LOQ		mg/5g	0.294	
Total Cannabinoids per 5g	164		mg/5g		





Report Number: 24-002108/D002.R000

Report Date: 03/04/2024 **ORELAP#:** OR100028

Purchase Order:

Received: 02/26/24 12:35

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

p = ISO/IEC 17025:2017 accredited method.

* = TNI accredited analyte.

Units of Measure

g = g

mg/5g = Milligram per 5g

% = Percentage of sample

% wt = μ g/g divided by 10,000

Approved Signatory

Derrick Tanner General Manager





Report Number: 24-002108/D002.R000

Report Date: 03/04/2024 ORELAP#: OR100028

Purchase Order:

Received: 02/26/24 12:35

Revision: 4 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

JAOAC2015 V986					В	atch ID: 240	1593		
Laboratory Control S									
Analyte	LCS	Result	Spike	Units	%Rec	Limi	ts	Evaluation	Notes
CBDVA	2	0.0320	0.0322	%	99.5	80.0 -	120	Acceptable	
CBDV	2	0.0304	0.0297	%	102	80.0 -	120	Acceptable	
CBE	2	0.0352	0.0356	%	99.0	80.0 -	120	Acceptable	
CBDA	1	0.0311	0.0319	%	97.7	90.0 -	110	Acceptable	
CBGA	1	0.0310	0.0316	%	97.9	80.0 -	120	Acceptable	
CBG	1	0.0354	0.0366	%	96.8	80.0 -	120	Acceptable	
CBD	1	0.0345	0.0355	%	97.0	90.0 -	110	Acceptable	
THCV	2	0.0331	0.0333	%	99.5	80.0 -	120	Acceptable	
d8THCV	2	0.0283	0.0283	%	99.9	80.0 -	120	Acceptable	
THCVA	2	0.0313	0.0315	%	99.5	80.0 -	120	Acceptable	
CBN	1	0.0328	0.0334	%	98.2	80.0 -	120	Acceptable	
exo-THC	2	0.0332	0.0335	%	99.0	80.0 -	120	Acceptable	
d9THC	1	0.0351	0.0355	%	98.9	90.0 -	110	Acceptable	
d8THC	1	0.0334	0.0339	%	98.3	90.0 -	110	Acceptable	
9S-d10THC	1	0.0326	0.0333	%	98.0	80.0 -	120	Acceptable	
CBL	2	0.0334	0.0328	%	102	80.0 -	120	Acceptable	
9R-d10THC	1	0.0317	0.0326	%	97.2	80.0 -	120	Acceptable	
CBC	2	0.0301	0.0305	%	98.8	80.0 -	120	Acceptable	
THCA	1	0.0311	0.0320	%	97.3	90.0 -	110	Acceptable	
CBCA	2	0.0327	0.0327	%	99.9	80.0 -	120	Acceptable	
CBLA	2	0.0333	0.0336	%	99.1	80.0 -	120	Acceptable	
d9THCP	2	0.0327	0.0328	%	99.8	80.0 -	120	Acceptable	
CBT	2	0.0329	0.0327	%	101	80.0 -	120	Acceptable	

Method Blank	•		*			
Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td>0.00322</td><td>%</td><td>< 0.00322</td><td>Acceptable</td><td></td></loq<>	0.00322	%	< 0.00322	Acceptable	
CBDV	<loq< td=""><td>0.00322</td><td>%</td><td>< 0.00322</td><td>Acceptable</td><td></td></loq<>	0.00322	%	< 0.00322	Acceptable	
CBE	<loq< td=""><td>0.00322</td><td>%</td><td>< 0.00322</td><td>Acceptable</td><td></td></loq<>	0.00322	%	< 0.00322	Acceptable	
CBDA	<loq< td=""><td>0.00322</td><td>%</td><td>< 0.00322</td><td>Acceptable</td><td></td></loq<>	0.00322	%	< 0.00322	Acceptable	
CBGA	<loq< td=""><td>0.00322</td><td>%</td><td>< 0.00322</td><td>Acceptable</td><td></td></loq<>	0.00322	%	< 0.00322	Acceptable	
CBG	<loq< td=""><td>0.00322</td><td>%</td><td>< 0.00322</td><td>Acceptable</td><td></td></loq<>	0.00322	%	< 0.00322	Acceptable	
CBD	<l0q< td=""><td>0.00322</td><td>%</td><td>< 0.00322</td><td>Acceptable</td><td></td></l0q<>	0.00322	%	< 0.00322	Acceptable	
THCV	<loq< td=""><td>0.00322</td><td>%</td><td>< 0.00322</td><td>Acceptable</td><td></td></loq<>	0.00322	%	< 0.00322	Acceptable	
d8THCV	<loq< td=""><td>0.00322</td><td>%</td><td>< 0.00322</td><td>Acceptable</td><td></td></loq<>	0.00322	%	< 0.00322	Acceptable	
THCVA	<loq< td=""><td>0.00322</td><td>%</td><td>< 0.00322</td><td>Acceptable</td><td></td></loq<>	0.00322	%	< 0.00322	Acceptable	
CBN	<loq< td=""><td>0.00322</td><td>%</td><td>< 0.00322</td><td>Acceptable</td><td></td></loq<>	0.00322	%	< 0.00322	Acceptable	
exo-THC	<loq< td=""><td>0.00322</td><td>%</td><td>< 0.00322</td><td>Acceptable</td><td></td></loq<>	0.00322	%	< 0.00322	Acceptable	
d9THC	<loq< td=""><td>0.00322</td><td>%</td><td>< 0.00322</td><td>Acceptable</td><td></td></loq<>	0.00322	%	< 0.00322	Acceptable	
d8THC	<loq< td=""><td>0.00322</td><td>%</td><td>< 0.00322</td><td>Acceptable</td><td></td></loq<>	0.00322	%	< 0.00322	Acceptable	
9S-d10THC	<loq< td=""><td>0.00322</td><td>%</td><td>< 0.00322</td><td>Acceptable</td><td></td></loq<>	0.00322	%	< 0.00322	Acceptable	
CBL	<loq< td=""><td>0.00322</td><td>%</td><td>< 0.00322</td><td>Acceptable</td><td></td></loq<>	0.00322	%	< 0.00322	Acceptable	
9R-d10THC	<loq< td=""><td>0.00322</td><td>%</td><td>< 0.00322</td><td>Acceptable</td><td></td></loq<>	0.00322	%	< 0.00322	Acceptable	
CBC	<loq< td=""><td>0.00322</td><td>%</td><td>< 0.00322</td><td>Acceptable</td><td></td></loq<>	0.00322	%	< 0.00322	Acceptable	
THCA	<loq< td=""><td>0.00322</td><td>%</td><td>< 0.00322</td><td>Acceptable</td><td></td></loq<>	0.00322	%	< 0.00322	Acceptable	
CBCA	<loq< td=""><td>0.00322</td><td>%</td><td>< 0.00322</td><td>Acceptable</td><td></td></loq<>	0.00322	%	< 0.00322	Acceptable	
CBLA	<loq< td=""><td>0.00322</td><td>%</td><td>< 0.00322</td><td>Acceptable</td><td></td></loq<>	0.00322	%	< 0.00322	Acceptable	
d9THCP	<loq< td=""><td>0.00322</td><td>%</td><td>< 0.00322</td><td>Acceptable</td><td></td></loq<>	0.00322	%	< 0.00322	Acceptable	
CBT	<loq< td=""><td>0.00322</td><td>%</td><td>< 0.00322</td><td>Acceptable</td><td></td></loq<>	0.00322	%	< 0.00322	Acceptable	

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure: % - Percent





Report Number: 24-002108/D002.R000

Report Date: 03/04/2024 ORELAP#: OR100028

Purchase Order:

Received: 02/26/24 12:35

Revision: 4 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

JAOAC2015 V986		Batch ID: 2401593						
Sample Duplicate	Sample ID: 24-0021070001							
Analyte	Result	Org. Reult	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td><loq< td=""><td>0.00316</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00316</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00316	%	NA	< 20	Acceptable	
CBDV	0.00853	0.00883	0.00316	%	3.51	< 20	Acceptable	
CBE	<loq< td=""><td><loq< td=""><td>0.00316</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00316</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00316	%	NA	< 20	Acceptable	
CBDA	<loq< td=""><td><loq< td=""><td>0.00316</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00316</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00316	%	NA	< 20	Acceptable	
CBGA	<loq< td=""><td><loq< td=""><td>0.00316</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00316</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00316	%	NA	< 20	Acceptable	
CBG	<loq< td=""><td><loq< td=""><td>0.00316</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00316</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00316	%	NA	< 20	Acceptable	
CBD	1.31	1.30	0.00316	%	1.15	< 20	Acceptable	
THCV	<loq< td=""><td><loq< td=""><td>0.00316</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00316</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00316	%	NA	< 20	Acceptable	
d8THCV	<loq< td=""><td><loq< td=""><td>0.00316</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00316</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00316	%	NA	< 20	Acceptable	
THCVA	<loq< td=""><td><loq< td=""><td>0.00316</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00316</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00316	%	NA	< 20	Acceptable	
CBN	<loq< td=""><td><loq< td=""><td>0.00316</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00316</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00316	%	NA	< 20	Acceptable	
exo-THC	<loq< td=""><td><loq< td=""><td>0.00316</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00316</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00316	%	NA	< 20	Acceptable	
d9THC	0.00589	0.00571	0.00316	%	3.19	< 20	Acceptable	
d8THC	<loq< td=""><td><loq< td=""><td>0.00316</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00316</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00316	%	NA	< 20	Acceptable	
9S-d10THC	<loq< td=""><td><loq< td=""><td>0.00316</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00316</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00316	%	NA	< 20	Acceptable	
CBL	<loq< td=""><td><loq< td=""><td>0.00316</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00316</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00316	%	NA	< 20	Acceptable	
9R-d10THC	<loq< td=""><td><loq< td=""><td>0.00316</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00316</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00316	%	NA	< 20	Acceptable	
CBC	0.00482	0.00473	0.00316	%	1.93	< 20	Acceptable	
THCA	<loq< td=""><td><loq< td=""><td>0.00316</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00316</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00316	%	NA	< 20	Acceptable	
CBCA	<loq< td=""><td><loq< td=""><td>0.00316</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00316</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00316	%	NA	< 20	Acceptable	
CBLA	<loq< td=""><td><loq< td=""><td>0.00316</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00316</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00316	%	NA	< 20	Acceptable	
d9THCP	<loq< td=""><td><loq< td=""><td>0.00316</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00316</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00316	%	NA	< 20	Acceptable	
CBT	<loq< td=""><td><loq< td=""><td>0.00316</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00316</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00316	%	NA	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure:

% - Percent





Report Number: 24-002108/D002.R000

Report Date: 03/04/2024 ORELAP#: OR100028

Purchase Order:

Received: 02/26/24 12:35







Report Number: 24-002108/D002.R000

Report Date: 03/04/2024 ORELAP#: OR100028

Purchase Order:

Received: 02/26/24 12:35

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.